



4 PORTICO ROOF PLAN Scale: 1/4" = 1'-0"





3 NEW PORTICO PLAN Scale: 1/4" = 1'-0"



2 DEMOP Scale: 1/4" = 1'-0"

1 PORTICO EXISTING ELEVATION Scale: 1/4" = 1'-0"



DGS EMERY HOUSE RENOVATION
17012
1725 LINCOLN RD NE
WASHINGTON, DC 20002
PORTICO PERMIT AMMENDMENT


SEAL
REVISIONS

3 DEC 2021
PORTICO PERMIT
AMMENDMENT


PORTICO
PLANS

A1

SHEET NO.



4 LONGITUDINAL PORTICO SECTION
Scale: 1/4" = 1'-0"



1 TRANSVERSE PORTICO SECTION
Scale: 1/4" = 1'-0"

GENERAL SECTION AND ELEVATION NOTES

CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO COMMENCING WORK. NOTIFY ARCHITECT AND OWNER OF ANY DISCREPANCIES.

MAINTAIN REQUIRED SITE FENCE SURROUNDING AREA OF WORK AND MINIMIZE AND CONTAIN ALL DEBRIS FROM CONSTRUCTION

ALL GYP BOARD TO BE EXTERIOR RATED GYP WITH TYPE 'X' CORE, WHITE EXTERIOR

ALL TRIM MOLDING PIECES TO BE EXTERIOR QUALITY, PRIMED PINE OR COMPARABLE WOOD. TO BE PAINTED SHERWIN WILLIAMS EXTERIOR ACRYLIC LATEX, ARCHITECT TO PROVIDE PAINT SELECTION

ALL NEW TRIM PIECES TO MATCH SALVAGED EXISTING TRIM

ALL WOOD ROOF JOISTS TO BE FIRE TREATED

SHEATHING TO BE TYPE 'X' CORE

COLUMN ENCLOSURE WRAP TO BE COORDINATED WITH ARCHITECT FOR APPROVAL. COLUMN ENCLOSURE TO MATCH EXISTING SALVAGED WOOD ENCLOSURE.

GALVANIZED STEEL HAND RAIL TO BE PAINTED, COORDINATE PAINT COLOR AND PRODUCT WITH ARCHITECT

DGS EMERY HOUSE RENOVATION
17012
1725 LINCOLN RD. NE
WASHINGTON, DC 20002

PORTICO PERMIT AMMENDMENT

SEAL
REVISIONS


3 DEC 2021
PORTICO PERMIT
AMMENDMENT

PORTICO
SECTIONS


A3

SHEET NO.







1 DETAIL AT PORTICO COLUMN TO BEAM Scale: 1 1/2" = 1'-0"




2 DETAIL AT PORTICO EXISTING WALL CONNECTION Scale: 1 1/2" = 1'-0"




3 DETAIL AT COLUMN BASE Scale: 1 1/2" = 1'-0"



4 DETAIL AT TYP. RAILING Scale: 1 1/2" = 1'-0"



5 DETAIL AT PORTICO ROOF EDGE Scale: 1 1/2" = 1'-0"



6 DETAIL AT PORTICO SOFFITT Scale: 1 1/2" = 1'-0"

GENERAL DETAIL NOTES

CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO COMMENCING WORK. NOTIFY ARCHITECT AND OWNER OF ANY DISCREPANCIES.

MAINTAIN REQUIRED SITE FENCE SURROUNDING AREA OF WORK AND MINIMIZE AND CONTAIN ALL DEBRIS FROM CONSTRUCTION

ALL GYP BOARD TO BE EXTERIOR RATED GYP WITH TYPE 'X' CORE, WHITE EXTERIOR

ALL TRIM MOLDING PIECES TO BE EXTERIOR QUALITY, PRIMED PINE OR COMPARABLE WOOD. TO BE PAINTED SHERWIN WILLIAMS EXTERIOR ACRYLIC LATEX, ARCHITECT TO PROVIDE PAINT SELECTION

ALL NEW TRIM PIECES TO MATCH SALVAGED EXISTING TRIM

ALL WOOD ROOF JOISTS TO BE FIRE TREATED

SHEATHING TO BE TYPE 'X' CORE

COLUMN ENCLOSURE WRAP TO BE COORDINATED WITH ARCHITECT FOR APPROVAL. COLUMN ENCLOSURE TO MATCH EXISTING SALVAGED WOOD ENCLOSURE.

GALVANIZED STEEL HAND RAIL TO BE PAINTED, COORDINATE PAINT COLOR AND PRODUCT WITH ARCHITECT

DGS EMERY HOUSE RENOVATION
17012
1725 LINCOLN RD NE
WASHINGTON, DC 20002
PORTICO PERMIT AMMENDMENT

SEAL
REVISIONS
3 DEC 2021
PORTICO PERMIT
AMMENDMENT
PORTICO
DETAILS



PREPARE ALL SURFACES FOR NEW WORK.

GC TO PROVIDE CONSTRUCTION WASTE MANAGEMENT PLAN FOR SALVAGE/RECYCLING OF DEMOLITION AND CONSTRUCTION WASTE.

COMPLY WITH APPLICABLE LOCAL AND FEDERAL REGULATIONS PERTAINING TO SAFETY OF PERSONS, PROPERTY AND ENVIRONMENTAL PROTECTION.

ERECT AND MAINTAIN DUSTPROOF PARTITIONS TO PREVENT THE SPREAD OF DUST, FUMES, ETC.

PROTECT ALL EXISTING INTERIOR SURFACES TO REMAIN. IF DEMOLITION IS PERFORMED IN EXCESS OF THAT REQUIRED, RESTORE AFFECTED AREAS AT NO COST TO OWNER.

COORDINATE ALL DEMOLITION WITH ALL DISCIPLINES AND SUB CONTRACTORS

REMOVE ABANDONED ELECTRICAL, TELEPHONE, DATA, AND AV CABLING AND DEVICES IN PARTITIONS TO BE REMOVED

GC TO PROTECT ANY DEVICES IF REQUIRED TO STAY IN PLACE DURING CONSTRUCTION.

GC TO PREP ALL EXISTING WALLS TO RECEIVE NEW WALL FINISHES. ANY DAMAGED SECTIONS OF EXISTING WALLS TO BE SPACKLED, SANDED SMOOTH, AND PRIMED PRIOR TO FINAL FINISH APPLICATION.

GC TO REMOVE ALL EXISTING DOORS AND FRAMES NOTED FOR DEMOLITION

GC TO REMOVE ALL POWER/COMMUNICATION, THERMOSTATS, AND OTHER WALL MOUNTED DEVICES AND PULL ALL WIRES BACK TO SOURCE, UNO


ALL OTHER MATERIALS IN GOOD WORKING ORDER THAT ARE TO BE REUSED BY OWNER SHALL BE STORED IN A LOCATION APPROVED BY OWNER.

ALL WALL OR CEILING MOUNTED DEVICES LOCATED ON DEMOLISHED SURFACES ARE TO BE RELOCATED TO NEAREST SURFACES OR NEW SURFACE REPLACE EXISTING. GC TO COORDINATE WITH ARCHITECT FOR NEW LOCATIONS.

RELOCATE ALL DEMOLISHED SWITCHES AND ELECTRICAL AS NEEDED. COORDINATE BETWEEN MEP AND ARCHITECTURAL DRAWINGS.

SALVAGE ALL 2x2 LIGHT FIXTURES IN CEILING, STORE FOR REUSE.

CONFIRM ALL DEMOLISHED/SALVAGED MECHANICAL WITH MEP DRAWINGS



KEYNOTE LEGEND

- D01 EXISTING DOOR AND FRAME TO BE REMOVED AND REUSED, SEE DOOR SCHEDULE
- D02 EXISTING WALL TO BE REMOVED TO EXTENT SHOWN
- D03 ALL 2X 2 LIGHT FIXTURES TO BE REMOVED AND SALVAGED FOR REUSE
- D04 EXISTING CEILING TILES, GRID AND GRILLES TO BE REMOVED
- D05 EXISTING FCU UNIT TO REMAIN, PROTECT DURING CONSTRUCTION, VERIFY IN WORKING CONDITION
- D06 EXISTING WALL TO REMAIN, REMOVE VINYL BASE, ALL ELECTRICAL AND DATA JACKS TO REMAIN, PROTECT DURING CONSTRUCTION.
- D07 EXISTING FLOOR FINISH TO BE REMOVED, PREPARE SLAB FOR NEW FLOOR FINISH
- D08 EXISTING APPLIANCES TO BE REMOVED
- D09 EXISTING SINK TO BE REMOVED, CAP AND MAKE SAFE
- D10 EXISTING CONSOLE AIR CONDITIONING UNIT TO BE REMOVED
- D11 EXISTING ENTRY DOOR TO BE REMOVED
- D12 EXISTING DUCTED AIR CONDITION UNIT AND ASSOCIATED DUCTWORK TO BE REMOVED
- D14 REMOVE EXISTING WALL COVERING ON EXISTING WALL TO REMAIN



I certify that these documents were prepared or approved by me, and that I am a duly licensed architect under the laws of the State of Maryland, license number 15571, expiration date 2022-09-24.

BURNESSTI
 20010
 7910 WOODMONT AVE #6100
 BELTERSHAW, MD 20814
IFC SET

SEAL
 REVISIONS


21 FEBRUARY
 2022
 IFC SET

1 DEMO FLOOR PLAN
 1/8" = 1'-0"



1 ENLARGED KITCHEN PLAN
 1/4" = 1'-0"

2 ENLARGED KITCHEN CEILING PLAN
 1/4" = 1'-0"



BURNESSTI
IFC SET

21 FEBRUARY 2022



RECEPTION | OPTION C

9 BURNESSTI - INTERIOR FINISHES PRESENTATION | 24 JANUARY 2021



RECEPTION | OPTION D

10 BURNESSTI - INTERIOR FINISHES PRESENTATION | 24 JANUARY 2021



KITCHEN | DINING


13 BURNESSTI - INTERIOR FINISHES PRESENTATION | 24 JANUARY 2021




KITCHEN | DINING

14 BURNESSTI - INTERIOR FINISHES PRESENTATION | 24 JANUARY 2021






1 GYMNASIUM RM 026
1/4" = 1'-0"



2 GYMNASIUM RM 026
1/4" = 1'-0"



3 GYMNASIUM RM 026
1/4" = 1'-0"

GENERAL NOTES

- UNLESS A SPECIFIC MANUFACTURER/MODEL IS CALLED OUT, RESTROOM FIXTURES AND ACCESSORIES ARE TO BE SELECTED BY OWNER.
- G.C. TO SUPPLY FIXTURES AND ACCESSORIES UNLESS DIRECTED OTHERWISE BY OWNER.

KEYNOTES - INT ELEVATIONS



- FRAME LESS MIRROR 42" X 13"
- WALL HUNG SNK, SEE TYP. MOUNTING HEIGHTS FOR CHILDREN (38A700)
- WALL HUNG SNK, SEE TYP. MOUNTING HEIGHTS (38A700)
- SURFACE MOUNTED HAND DRYER, SEE TYP. MOUNTING HEIGHTS FOR CHILDREN (39 A700)
- SURFACE MOUNTED HAND DRYER, SEE TYP. MOUNTING HEIGHTS (40A700)
- WALL HUNG CHILD SIZE TOILET, SEE TYP. MOUNTING HEIGHTS FOR CHILDREN (38A700)
- FLOOR MOUNTED FLUSH VALVE ADULT TOILET, SEE TYP. MOUNTING HEIGHTS (40A700)
- WALL HUNG TOILET, SEE TYP. MOUNTING HTS (40A700)
- WALL HUNG URINAL, SEE TYP. MOUNTING HTS (40A700)
- GRAB BARS, SEE TYP. MOUNTING HEIGHTS FOR CHILDREN (38A700)
- GRAB BARS, SEE TYP. MOUNTING HEIGHTS (40A700)
- SANITARY NAPKIN DISPENSER, SEE TYP. MOUNTING HEIGHTS (40A700)
- SURFACE MOUNTED TOILET PAPER DISPENSER, SEE TYP. MOUNTING HEIGHTS FOR CHILDREN (38A700)
- SURFACE MOUNTED TOILET PAPER DISPENSER, SEE TYP. MOUNTING HEIGHTS (40A700)
- SURFACE MOUNTED SOAP DISPENSER, SEE TYP. MOUNTING HEIGHTS FOR KIDS (38A700)
- SURFACE MOUNTED SOAP DISPENSER, SEE TYP. MOUNTING HEIGHTS (40A700)
- ROLD SURFACE COUNTER WITH INTEGRAL SNK BOWL
- WIRE SNK, SOAP DISPENSER
- WIRE SNK, SOAP DISPENSER
- BABY CHANGING STATION SEE TYP. MOUNTING HEIGHTS (40A700)
- HINY HIBER TOILET PARTITIONS, SS 4 SEE FINISH LIST
- STAINLESS STEEL UNDERMOUNT SNK
- CLOSET ROD FOR COAT
- ADJUSTABLE SHELF, TYP.
- WIRE PULLS, TYP.
- WIRE HOOKS, TYP.
- 24" X 30" MIRROR
- 18" X 30" MIRROR
- SLIDING CLOSET DOORS, SEE DOOR SCHEDULE
- BRACKETS FOR SCULP. SURFACE BENCH, SEE DETAIL
- WATER FOUNTAIN SEE TYP. MOUNTING HEIGHTS (40A700)
- DEWIBING WALL, SEE DETAIL
- ART RAIL, SEE DETAIL
- WHITE BOARD
- TACK BOARD
- ROLLER SHADES, SEE FINISH LIST
- FULL LENGTH VERTICAL MIRROR, 24" X 60"
- FRAME LESS MIRROR 42" X 13"
- WALKER DISPLAY ART RAIL SYSTEM
- VINYL GYMNASIUM WALL PAD, SEE FINISH LIST

PERMIT ISSUE DATE: 02.28.2020
 REVISIONS: 03.03.2020
 03.23.2020
 ADDENDUM #1
 PT 49


HOLY FAMILY ACADEMY
 PARISH LIFE CENTER ADDITION
 5925 WEST LAKE STREET
 ST. LOUIS PARK, MN 55416
 INTERIOR ELEVATIONS
 1/28/2020

A704
 © 2020 Design Group (2020)







1 SECTION @ TYP CLASSROOM SINK BASE CABINET
A705 1'-0\"/>




2 SECTION @ TYP CLASSROOM BASE CABINET
A705 1'-0\"/>




3 SECTION @ TYP WALL CABINET
A705 1'-0\"/>




4 SECTION @ TYP DESK SPACE
A705 1'-0\"/>




5 SECTION @ TYP CLASSROOM SHELVES
A705 1'-0\"/>




6 SECTION @ CHANGING ROOM BENCH
A705 1'-0\"/>




7 SECTION @ RESTROOM VANITY
A705 1'-0\"/>




8 SECTION @ BASE CABINET WITH SINK
A705 1'-0\"/>




9 SECTION @ TYP BASE CABINET
A705 1'-0\"/>




10 SECTION @ BASE CABINET WITH DRAWERS
A705 1'-0\"/>




11 SECTION @ TEACHER CLOSET
A705 1'-0\"/>




12 SECTION @ CUBBIES
A705 1'-0\"/>




13 SECTION @ LIBRARY BOOKSHELF
A705 1'-0\"/>



14 SECTION @ CORRIDOR BENCH
A705 1'-0\"/>



15 SECTION @ RESTROOM VANITY
A705 1'-0\"/>



16 SECTION @ TROPHY CASE
A705 1'-0\"/>

HOLY FAMILY ACADEMY
PARISH LIFE CENTER ADDITION
5822 WEST LAKE STREET
ST. LOUIS PARK, MN 55416
MILLWORK DETAILS

A705
© 2018 Design Group (DGI)

2018 DESIGN GROUP
2018 WEST LAKE STREET
1A 7017